

TrainingDump

Try **Desktop Test Engine** before you buy

Online Test Engine: Online Tool, Convenient, easy to study. Instant Online Access. Supports All Web Browsers.

PDF format: Easy to read and print learning materials, our products are available in PDF file format.

Desktop Test Engine: Installable Software Application. Simulates Real Exam Environment. Practice Offline Anytime.



Choose the version that fits your needs	PDF Version	Desktop Test Engine	Online Test Engine
Latest and Up-to-Date exam dumps with real exam questions answers.	✓	✓	✓
Get 12-Months free updates without any extra charges.	✓	✓	✓
Experience same exam environment before appearing in the certification exam.	✗	✓	✓
100% exam passing guarantee in the first attempt.	✓	✓	✓
20% discount on more than one license and 30% discount on 5+ license purchases.	✗	✓	✓
100% secure purchase on SSL.	✓	✓	✓
Completely private purchase without sharing your personal info with anyone.	✓	✓	✓


48923+
Happy Clients


48923+
Shares


97846+
Downloads


9999+
Years in Business

<http://www.trainingdump.com/>

Everything you need to prepare, learn & pass your certification exam easily.

Exam : **HH0-380**

Title : Hitachi Data Systems
Architect - Business
Continuity

Vendor : Hitachi

Version : DEMO

NO.1 How does a storage administrator obtain the Hitachi Device Manager (HDvM) CLI software?

- A. Install it from the Hitachi Command Suite DVD.
- B. Install the RAID Manager/CCI software.
- C. Download it from the HDvM server.
- D. Download the HDvM CLI license.

Answer: C

NO.2 Which two statements regarding the Hitachi Dynamic Link Manager Least I/O and Least Block algorithms are true? (Choose two.)

- A. The Least I/O and Least Block algorithms redirect the I/Os to a single path determined by the algorithms.
- B. The Least I/O and Least Block algorithms redirect the I/Os to a pair of paths determined by the algorithms.
- C. The Extended Least I/O and Extended Least Block algorithms distribute sequential I/Os to a set of paths and random I/Os to another set of paths.
- D. The Extended Least I/O and Extended Least Block algorithms distribute I/Os to paths depending on whether the I/O involves sequential or random access.

Answer: A,D

NO.3 Which two operations would be performed on a VSP using the Element Manager feature of Hitachi Device Manager? (Choose two.)

- A. Change the ports settings of a storage system.
- B. Define tiering policies for Hitachi Tiered Storage Manager.
- C. Access external storage management functions.
- D. Launch the maintenance procedure for Customer Replaceable Parts.

Answer: A,C

NO.4 A customer has concerns about high availability and single-point failure for their VSP environment and they are planning to implement a multi-pathing software. Which two Hitachi Dynamic Link Manager (HDLM) features will assist this customer? (Choose two.)

- A. HDLM automatically redirects I/O operations to alternate paths if a failure occurs.
- B. The HDLM server monitors the client hosts' multi-pathing agents and redirects I/Os to an available path if a path failure occurs.
- C. HDLM collects path error information and preventively sets a path offline if the error threshold is exceeded.
- D. When a failed path becomes available, HDLM places the recovered path back online.

Answer: A,D

NO.5 Which feature allows the naming of LDEVs using Hitachi Device Manager CLI?

- A. LDEV Naming
- B. LDEV Labeling
- C. LDEV Tagging
- D. LDEV Editing

Answer: B

NO.6 You want to monitor the storage capacity used by an application. Which feature of Hitachi Device Manager would you use to achieve this?

- A. device groups
- B. host groups
- C. logical groups
- D. application groups

Answer: C

NO.7 On a server with intensive sequential I/O profile, you have set Extended Round Robin within Hitachi Dynamic Link Manager. Which two benefits result from implementing this algorithm? (Choose two.)

- A. tracks preloaded to cache
- B. blocks held permanent in Read Cache
- C. no tracks preloading on the system
- D. efficient cache usage on the storage system

Answer: A,D

NO.8 You want to restart the Hitachi Command Suite (HCS) services running on a Windows server. Which tool would you use?

- A. Windows Services panel
- B. HCS GUI
- C. CLI command "hcmdssrv"
- D. Windows Task Manager

Answer: C

NO.9 A storage manager needs to add a new server to the Hitachi Device Manager (HDvM) database. As an alternative to running a host scan, which two actions are available to discover and identify the new server? (Choose two.)

- A. Use the Host Data Collector.
- B. Install HDvM Agent on the host.
- C. Execute the AddNewHost CLI command.
- D. Run the Import Hosts utility.

Answer: A,B

NO.10 You use Hitachi Device Manager to provision storage. During the provisioning process, what information must you provide? (Choose two.)

- A. the name of the host being provisioned from the storage system
- B. the WWN of the FC port of the storage system connected to the host's HBA
- C. the FC port name of the storage system connected to the host's HBA
- D. the FC path priority settings

Answer: A,C